

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date first issue: 23/02/2024 Review date: 30/09/2024 Supersedes version of: 23/02/2024 Version: 7.3

Distributor

Station Road

Distributor

IE 2 Dublin

T+353 1 8146022

Ireland

T 00353 94 936 4011

Christeyns Technologies Ltd.

Ireland

Christeyns Technologies Ireland Ltd

F12 YW84 Newtown South Ballindine, Co. Mayo

info@gannonchemicals.ie, Gannonchemicals.ie

Mazars, Block 3, Harcout Centre, Harcourt Road

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Mida CHRIOX F2
UFI : EF01-KSV5-P105-83JN

Product code : 610

Type of product : Biocidal products (e.g. Disinfectants, pest control)

Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Peracetic acid based foam disinfectant

Biocide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns NV Afrikalaan 182 9000 GENT

Belgium

T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44 info@christeyns.be, www.christeyns.com

Distributor

Christeyns UK Ltd. Rutland Street GB Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43

info@christeyns.be, www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB WA2 8RE Warrington, Cheshire United Kingdom

T +44 (0)1925 23 46 96

 $\underline{\mathsf{UK}\text{-}\mathsf{foodinfo@}\mathsf{christeyns}.\mathsf{com}},\,\underline{\mathsf{www}.\mathsf{christeyns}.\mathsf{com}}$

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Liquids, Category 2

Corrosive to metals, Category 1

Acute toxicity (oral), Category 4

Skin corrosion/irritation, Category 1, Sub-Category 1B

Serious eye damage/eye irritation, Category 1

Specific target organ toxicity – Single exposure, Category 3,

Respiratory tract irritation

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment - Chronic Hazard,

H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS03

GHS05

GHS07

GHS09

CLP Signal word

: Danger

Contains : Sulphuric acid; phosphonic acid; peracetic acid; Acetic acid; Hydrogen peroxide; Alcohol

ethoxylated; Dodecylbenzenesulfonic acid

Hazard statements (CLP) : H272 - May intensify fire; oxidiser.

H290 - May be corrosive to metals. H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

H411 - Toxic to aquatic life with long lasting effects.

: P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking. Precautionary statements (CLP)

P234 - Keep only in original container. P260 - Do not breathe Mist, Spray, vapours.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P284 - Wear respiratory protection.

P303+P361+P353+P310 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER

or doctor/physician.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor.

P403+P235 - Store in a well-ventilated place. Keep cool.

EUH-statements : EUH071 - Corrosive to the respiratory tract.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetic acid substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, LT, LU, LV, MT, PL, PT, RO, SE, SK, NO, CH, TR)	CAS-no: 64-19-7 Einecs nr: 200-580-7 EG annex nr: 607-002-00-6 REACH-no: 01-2119475328- 30	10 – 30	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Hydrogen peroxide substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, SK, IS, NO, CH)	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845- 22	5 – 10	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol ethoxylated	CAS-no: 69011-36-5 Einecs nr: 931-138-8 REACH-no: Exempted	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318
Dodecylbenzenesulfonic acid	CAS-no: 85536-14-7 Einecs nr: 287-494-3 REACH-no: 01-2119490234- 40	3-5	Acute Tox. 4 (Oral), H302 (ATE=1470 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
peracetic acid substance with national workplace exposure limit(s) (BE, CZ, FI, IE, PL, PT, CH)	CAS-no: 79-21-0 Einecs nr: 201-186-8 EG annex nr: 607-094-00-8 REACH-no: 01-2119531330- 56	1 – 3	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=10)
Sulphuric acid substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HU, IT, LT, LU, MT, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-no: 7664-93-9 Einecs nr: 231-639-5 EG annex nr: 016-020-00-8 REACH-no: 01-2119458838- 20	0.1 – 1	Skin Corr. 1A, H314

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
Acetic acid	CAS-no: 64-19-7 Einecs nr: 200-580-7 EG annex nr: 607-002-00-6 REACH-no: 01-2119475328- 30	(10 ≤ C < 25) Eye Irrit. 2, H319 (10 ≤ C < 25) Skin Irrit. 2, H315 (25 ≤ C < 90) Skin Corr. 1B, H314 (90 ≤ C ≤ 100) Skin Corr. 1A, H314		
Hydrogen peroxide	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845- 22	$(5 \le C < 8)$ Eye Irrit. 2, H319 $(8 \le C < 50)$ Eye Dam. 1, H318 $(35 \le C < 100)$ STOT SE 3, H335 $(35 \le C < 50)$ Skin Irrit. 2, H315 $(50 \le C < 70)$ Skin Corr. 1B, H314 $(50 \le C < 70)$ Ox. Liq. 2, H272 $(63 \le C < 100)$ Aquatic Chronic 3, H412 $(70 \le C < 100)$ Skin Corr. 1A, H314 $(70 \le C < 100)$ Ox. Liq. 1, H271		
peracetic acid	CAS-no: 79-21-0 Einecs nr: 201-186-8 EG annex nr: 607-094-00-8 REACH-no: 01-2119531330- 56	(1 ≤ C ≤ 100) STOT SE 3, H335		
Sulphuric acid	CAS-no: 7664-93-9 Einecs nr: 231-639-5 EG annex nr: 016-020-00-8 REACH-no: 01-2119458838- 20	(5 ≤ C < 15) Skin Irrit. 2, H315 (5 ≤ C < 15) Eye Irrit. 2, H319 (15 ≤ C ≤ 100) Skin Corr. 1A, H314		

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures

Inhalation

Skin contact : Take off immediately all contaminated clothing and wash it before reuse. Wash off with

: Remove person to fresh air and keep comfortable for breathing.

plenty of water.

Eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ingestion : If swallowed, seek medical advice immediately and show this container or label. Rinse

mouth out with water. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : May cause respiratory irritation.

Acute effects skin : Causes severe burns.
Acute effects eyes : Causes serious eye damage.

Acute effects oral route : Harmful if swallowed. Burns of the upper digestive and respiratory tracts.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : water in large amounts.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Not applicable.

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water. Do not absorb in sawdust, paper,

cloth or other combustible absorbents.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. After use, container has to be completely emptied and

closed. Never return unused material to original container.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep cool. Protect from sunlight. Store in a well-ventilated place. Store away

from other materials. Keep only in original container.

Storage temperature : > 0 - < 35 °C

Material(s) to avoid : metals. Organic materials. Bases.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sulphuric acid (7664-93-9)		
United Kingdom - Occupational Exposure Limits		
Local name	Sulphuric acid	
WEL TWA (OEL TWA)	0.05 mg/m³ mist	
Remark	The mist is defined as the thoracic fraction	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

reland - Occupational Exposure Limits			
ocal name	Peracetic acid		
PEL STEL	0.4 ppm IFV (Inhlable Fraction and Vapour)		
emark	Advisory OELV (Advisory Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2024		
Acetic acid (64-19-7)			
reland - Occupational Exposure Limits			
ocal name	Acetic acid		
DEL TWA	25 mg/m³		
	10 ppm		
DEL STEL	37 mg/m³		
	15 ppm		
lemark	IOELV (Indicative Occupational Exposure Limit Values)		
legulatory reference	Chemical Agents Code of Practice 2024		
United Kingdom - Occupational Exposure Limits			
ocal name	Acetic acid		
VEL TWA (OEL TWA)	25 mg/m³		
	10 ppm		
VEL STEL (OEL STEL)	50 mg/m³		
	20 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
lydrogen peroxide (7722-84-1)			
reland - Occupational Exposure Limits			
ocal name	Hydrogen peroxide		
DEL TWA	1.5 mg/m³		
	1 ppm		
DEL STEL	3 mg/m³		
	2 ppm		
lemark	Advisory OELV (Advisory Occupational Exposure Limit Values)		
legulatory reference	Chemical Agents Code of Practice 2024		
United Kingdom - Occupational Exposure Limits			
ocal name	Hydrogen peroxide		
VEL TWA (OEL TWA)	1.4 mg/m³		
	1 ppm		
VEL STEL (OEL STEL)	2.8 mg/m³		
	2 ppm		
legulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields (EN 166)

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment. Long sleeved protective clothing

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Provide adequate ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Physical state/form : Liquid.

Odour : acrid and pungent.
Odour threshold : Not available

Melting point/range : Not determined as it is not relevant for the characterization of the product Freezing point : Not determined as it is not relevant for the characterization of the product

Boiling point/Boiling range : 100 – 110 °C Flammability : Not flammable

Oxidising properties : May intensify fire; oxidiser.

Lower explosion limit : Constituents do not contain chemical groups associated with explosivity

Upper explosion limit : Constituents do not contain chemical groups associated with explosivity

Flash point : > 90 °C

Autoignition temperature : Determination of the auto-ignition temperature is only relevant for pyrophoric liquids,

however the mixture is not a pyrophoric liquid so the test is not required.

Decomposition temperature : Only applies to self-reactive substances and mixtures, organic peroxides, and other

substances and mixtures that may decompose.

SADT : > 60 °C for a 1000L package (based on waiving)

pH : 0.3 - 0.7 pH solution concentration : 100 %

Viscosity, kinematic : 8 mm²/s at 20 °C
Viscosity, dynamic : < 30 mPa·s
Solubility : Water: Miscible

Partition coefficient n-octanol/water (Log Kow) : Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.

Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 1.058 kg/l
Relative density : 1.062
Relative vapour density at 20°C : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

Contact with alkaline products gives exothermic reaction. Heating may cause a fire or explosion.

10.4. Conditions to avoid

Heating. Direct sunlight.

LD50 dermal rat

10.5. Incompatible materials

metals. Organic materials. Bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhelation) : Not classified

Acute toxicity (inhalation)	: Not classified	
Mida CHRIOX F2		
ATE CLP (oral)	1717.934 mg/kg bodyweight	
Sulphuric acid (7664-93-9)		
LD50 oral	2140 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	375 mg/l	
peracetic acid (79-21-0)		
LD50 oral	85 mg/kg bodyweight	
LD50 dermal rabbit	56.1 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h	
Acetic acid (64-19-7)		
LD50 oral	3310 mg/kg bodyweight	
LC50 Inhalation - Rat (Vapours)	> 40000 mg/l/4h	
Hydrogen peroxide (7722-84-1)		
LD50 oral rat	431 mg/kg	
LD50 dermal rabbit	6440 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h	
Alcohol ethoxylated (69011-36-5)		
LD50 oral rat	> 300 (≤ 2000) mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Dodecylbenzenesulfonic acid (85536-14-7)		
LD50 oral rat	1470 mg/kg bodyweight (OECD Guideline 401)	

30/09/2024 (Revision date) EN (English) 7/15

> 2000 mg/kg bodyweight

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Causes severe skin burns.

pH: 0.3 - 0.7

peracetic acid (79-21-0)		
рН	0.5	
Acetic acid (64-19-7)		
рН	2.5	
Alcohol ethoxylated (69011-36-5)		
рН	5 – 7	
Dodecylbenzenesulfonic acid (85536-14-7)		
рН	1 (50 g/l 20°C)	
Serious eye damage/irritation	: Causes serious eye damage.	
	pH: 0.3 – 0.7	

peracetic acid (79-21-0)	
рН	0.5
Acetic acid (64-19-7)	

рН	2.5
Alcohol ethoxylated (69011-36-5)	

Dodecylhenzenesulfonic acid (85536-14-7)				
рН				5 – 7
	•	•	*	

Dodecylbenzenesulfonic acid (85536-14-7)	
рН	1 (50 g/l 20°C)
Respiratory or skin sensitisation :	Not classified

Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Hydrogen peroxide (7722-84-1)		
	IARC group	3 - Not classifiable
	Reproductive toxicity :	Not classified

: May cause respiratory irritation. STOT-single exposure

peracetic acid (79-21-0)			
STOT-single exposure May cause respiratory irritation.			
Hydrogen peroxide (7722-84-1)			
STOT-single exposure May cause respiratory irritation.			
Alcohol ethoxylated (69011-36-5)			
NOAEL (oral, rat)	> 250 mg/kg bodyweight		
STOT-repeated exposure	: Not classified		

Hydrogen peroxide (7722-84-1)	
NOAEC (inhalation, rat, vapour, 90 days)	7 mg/l
Aspiration hazard	: Not classified

Mida CHRIOX F2	
Viscosity, kinematic	8 mm²/s at 20 °C
peracetic acid (79-21-0)	
Viscosity, kinematic	1.5 mm ² /s (20°C)
Dodecylbenzenesulfonic acid (85536-14-7)	

	Viscosity, kinematic	1635.688 mm²/s

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

chronic)					
Sulphuric acid (7664-93-9)					
LC50 - Fish [1] > 16 mg/l					
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea				
EC50 - Other aquatic organisms [2]	> 100 mg/l				
peracetic acid (79-21-0)					
LC50 - Fish [1]	1.1 mg/l				
EC50 - Crustacea [1]	0.73 mg/l				
ErC50 algae	0.05 mg/l (Selenastrum capricornutum)				
NOEC (chronic)	0.0121 mg/l				
NOEC chronic algae	(Selenastrum capricornutum)				
Acetic acid (64-19-7)					
LC50 - Fish [1]	> 1000 mg/l				
EC50 - Crustacea [1]	> 300 mg/l				
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea				
ErC50 algae	> 300 mg/l				
Hydrogen peroxide (7722-84-1)					
LC50 - Fish [1]	16.4 mg/l				
EC50 - Crustacea [1]	2.4 mg/l				
EC50 72h - Algae [1]	2.62 mg/l				
ErC50 algae	1.38 mg/l				
NOEC chronic crustacea	0.63 mg/l				
Alcohol ethoxylated (69011-36-5)					
LC50 - Fish [1]	> 1 mg/l				
EC50 - Crustacea [1]	> 1 mg/l				
ErC50 algae	1 – 10 mg/l				
Dodecylbenzenesulfonic acid (85536-14-7)					
LC50 - Fish [1]	1.67 mg/l (Lepomis macrochirus - EPA 1975)				
EC50 - Crustacea [1]	2.9 mg/l (Daphnia magna - OECD 202)				
ErC50 algae	235 mg/l (Pseodokirchneriella subcapitata)				

12.2. Persistence and degradability

NOEC (chronic)

NOEC chronic fish

NOEC chronic algae

Mida CHRIOX F2					
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.				

1 mg/l (NOEC (28 d) Lepomis macrochirus)

1.18 mg/l

> 4 mg/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sulphuric acid (7664-93-9)					
Persistence and degradability	Rapidly degradable				
peracetic acid (79-21-0)					
Persistence and degradability	Biodegradable,OECD 301E method (Ready biodegradability: Modified OECD Screening Test).				
Acetic acid (64-19-7)					
Persistence and degradability	Readily biodegradable.				
Hydrogen peroxide (7722-84-1)					
Persistence and degradability	Biodegradable.				
Alcohol ethoxylated (69011-36-5)					
Persistence and degradability	Readily biodegradable, according to appropriate OECD test,Not established.				
Dodecylbenzenesulfonic acid (85536-14-7)					
Persistence and degradability	Readily biodegradable.				
Biodegradation	> 70 % (OECD 301 A)				
12.3. Bioaccumulative potential					
Mida CHRIOX F2					
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.				
Bioaccumulative potential	No bioaccumulation.				
Sulphuric acid (7664-93-9)					
Log Pow	-2.2				
peracetic acid (79-21-0)					
Bioaccumulative potential	Not established.				
Acetic acid (64-19-7)					
Log Pow	-0.2				
Bioaccumulative potential	No bioaccumulation.				
Hydrogen peroxide (7722-84-1)					
Log Pow	-1.6				
Bioaccumulative potential	No bioaccumulation.				
Alcohol ethoxylated (69011-36-5)					
Bioaccumulative potential	No bioaccumulation. Not established.				
Dodecylbenzenesulfonic acid (85536-14-7)					
Log Pow	2				
12.4. Mobility in soil					
Dodecylbenzenesulfonic acid (85536-14-7)					

Dodecylbenzenesulfonic acid (85536-14-7) Organic Carbon Normalized Adsorption Coefficient (Log Koc) 2500

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products

: Collect all waste in suitable and labelled containers and dispose according to local legislation.

30/09/2024 (Revision date) EN (English) 10/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

European List of Waste (LoW, EC 2000/532) : 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3098	UN 3098	UN 3098
14.2. UN proper shipping name		
OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid)	OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid)	Oxidizing liquid, corrosive, n.o.s. (Acetic acid Peracetic acid)
Transport document description		
UN 3098 OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid), 5.1 (8), III, (E), ENVIRONMENTALLY HAZARDOUS	UN 3098 OXIDIZING LIQUID, CORROSIVE, N.O.S. (Acetic acid Peracetic acid), 5.1 (8), III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3098 Oxidizing liquid, corrosive, n.o.s. (Acetic acid Peracetic acid), 5.1 (8), III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)		
5.1 (8)	5.1 (8)	5.1 (8)
5.1	5.1	5.1
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : OC1
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I

Packing instructions (ADR) : P504, IBC02, R001

Mixed packing provisions (ADR) : MP2
Transport category (ADR) : 3
Special provisions for carriage - Loading, unloading and handling (ADR) : CV24

Tunnel code : E EAC code : 2W

Transport by sea

Special provisions (IMDG): 223, 274Limited quantities (IMDG): 5 LPacking instructions (IMDG): P504IBC packing instructions (IMDG): IBC02

Air transport

PCA Limited quantities (IATA) : Y541
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 551
PCA max net quantity (IATA) : 2.5L
CAO packing instructions (IATA) : 555
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	code for mixture without
Hydrogen peroxide	7722-84-1	12 % w/w	35% w/w	2847 00 00	ex 3824 99 96
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 00	Category 3		Annex I

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

peracetic acid

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes				
Section	Changed item		Comments	
	Type of product	Modified		
	Review date	Modified		
	Supersedes	Modified		
7.2	Material(s) to avoid	Modified		
7.2	Storage temperature A			
10.1	Reactivity			
10.2	Stability			
10.3	Possibility of hazardous reactions Added			
10.4	Conditions and products to avoid	Conditions and products to avoid Modified		
10.5	Material(s) to avoid	Modified		
10.6	Risks, due to products, formed by thermal decomposition			

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ErC50 (algae)	ErC50 (algae)	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.

This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:				
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4			
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4			
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
EUH071	Corrosive to the respiratory tract.			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H226	Flammable liquid and vapour.			
H242	Heating may cause a fire.			
H271	May cause fire or explosion; strong oxidiser.			
H272	May intensify fire; oxidiser.			
H290	May be corrosive to metals.			
H302	Harmful if swallowed.			
H312	Harmful in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H335	May cause respiratory irritation.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
Org. Perox. D	Organic Peroxides, Type D			
Ox. Liq. 1	Oxidising Liquids, Category 1			
Ox. Liq. 2	Oxidising Liquids, Category 2			
Skin Corr. 1	Skin corrosion/irritation, Category 1			
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A			
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Ox. Liq. 2	H272	Expert judgement		
Met. Corr. 1	H290	Calculation method		
Acute Tox. 4 (Oral)	H302	Calculation method		
Skin Corr. 1B	H314	Expert judgement		
Eye Dam. 1	H318	Expert judgement		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
STOT SE 3	H335	Calculation method	
Aquatic Chronic 2	H411	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.