

941 - Maxid Digest Forte



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: 941 - Maxid Digest Forte

Other means of identification:

UFI: V3X1-20QR-C00X-RAW9

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses (Professional users): Additive for fodder (animal feed) Relevant uses (Industrial user): Additive for fodder (animal feed)

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Indufarm nv Leon Bekaertstraat 5 8770 Ingelmunster Belgium contact@indufarm.co

contact@indufarm.com www.indufarm.com

1.4 Emergency telephone number: +32 (0)70 245 245 Mon-Sun 24h

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1B: Skin corrosion, Category 1B, H314

STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger





Hazard statements:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Precautionary statements:

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Supplementary information:

EUH071: Corrosive to the respiratory tract.

UFI: V3X1-20QR-C00X-RAW9

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.



941 - Maxid Digest Forte



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Not relevant

3.2 Mixture:

Chemical description: EU-approved feed blend designed to enhance taste, texture, or preservation

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
CAS:	64-18-6	Formic acid(1)	Self-classified				
EC: Index: REACH:	200-579-1 607-001-00-0 01-2119491174-37- XXXX	Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Flam. Liq. 3: H226; Skin Corr. 1A: H314; EUH071 - Danger	25 - <50 %			
CAS: EC:	79-09-4 201-176-3	propionic acid(1)	Self-classified				
Index:	201-176-3 607-089-00-0 01-2119486971-24- XXXX	Regulation 1272/2008	Flam. Liq. 3: H226; Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	10 - <25 %			
CAS:	79-33-4 201-196-2	L-(+)-lactic acid(1)	ATP ATP15				
	201-196-2 607-743-00-5 01-2119474164-39- XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Skin Corr. 1C: H314; EUH071 - Danger	5 - <10 %			
CAS:	64-19-7	Acetic acid(1)	ATP CLP00				
EC: 200-580-7 Index: 607-002-00-6 REACH: 01-2119475328-30- XXXX	607-002-00-6 01-2119475328-30-	Regulation 1272/2008	Flam. Liq. 3: H226; Skin Corr. 1A: H314 - Danger	5 - <10 %			
CAS:	77-92-9	Citric Acid(1)	ATP ATP17				
	201-069-1 607-750-00-3 01-2119457026-42- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; STOT SE 3: H335 - Warning	2.5 - <5 %			
CAS:	590-46-5	Betaine hydrochloride	e(1) Self-classified				
EC: Index: REACH:	209-683-1 Not relevant 01-2120772050-66- XXXX	Regulation 1272/2008	Eye Dam. 1: H318 - Danger	1 - <2.5 %			
CAS:	65-85-0	benzoic acid(1)	ATP ATP06				
EC: Index: REACH:	200-618-2 607-705-00-8 01-2119455536-33- XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT RE 1: H372 - Danger	1 - <2.5 %			
CAS: 7758-99-8		Copper sulfate pental	hydrate(1) ATP ATP17				
EC: Index: REACH:	231-847-6 029-023-00-4 01-2119520566-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318 - Danger	<1 %			
CAS:	5970-45-6	Zinc di(acetate) · 2H2	Self-classified				
	209-170-2 Not relevant 01-2120119383-62- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning	<1 %			

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

	Identification		M-factor
Copper sulfate pentahydrate			10
CAS: 7758-99-8	EC: 231-847-6	Chronic	1

Identification	Specific concentration limit
CAS: 64-18-6 EC: 200-579-1	% (w/w) >=90: Skin Corr. 1A - H314 10<= % (w/w) <90: Skin Corr. 1B - H314 2<= % (w/w) <10: Skin Irrit. 2 - H315 % (w/w) >=10: Eye Dam. 1 - H318 2<= % (w/w) <10: Eye Irrit. 2 - H319



941 - Maxid Digest Forte



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Specific concentration limit
CAS: 79-09-4 EC: 201-176-3	% (w/w) >=25: Skin Corr. 1B - H314 10<= % (w/w) <25: Skin Irrit. 2 - H315 % (w/w) >=25: Eye Dam. 1 - H318 10<= % (w/w) <25: Eye Irrit. 2 - H319 % (w/w) >=10: STOT SE 3 - H335
CAS: 64-19-7 EC: 200-580-7	% (w/w) >=90: Skin Corr. 1A - H314 25<= % (w/w) <90: Skin Corr. 1B - H314 10<= % (w/w) <25: Skin Irrit. 2 - H315 % (w/w) >=25: Eye Dam. 1 - H318 10<= % (w/w) <25: Eye Irrit. 2 - H319

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxic	Genus	
Formic acid	LD50 oral	730 mg/kg	Rat
	LD50 dermal	Not relevant	
EC: 200-579-1	LC50 inhalation vapour	7.85 mg/L	Rat
Copper sulfate pentahydrate	LD50 oral	481 mg/kg	Rat
	LD50 dermal	Not relevant	
EC: 231-847-6	LC50 inhalation vapour	Not relevant	
Zinc di(acetate) · 2H2O	LD50 oral	794 mg/kg	Rat
	LD50 dermal	Not relevant	
EC: 209-170-2	LC50 inhalation vapour	Not relevant	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply,etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:



941 - Maxid Digest Forte



SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions



941 - Maxid Digest Forte



SECTION 7: HANDLING AND STORAGE (continued)

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 0 °C

Maximum Temp.: 40 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification		Occupational exposure limits		
Formic acid		WEL (8h)	5 ppm	9.6 mg/m ³
CAS: 64-18-6	EC: 200-579-1	WEL (15 min)		
propionic acid		WEL (8h)	10 ppm	31 mg/m ³
CAS: 79-09-4	EC: 201-176-3	WEL (15 min)	15 ppm	46 mg/m ³
Acetic acid		WEL (8h)	10 ppm	25 mg/m ³
CAS: 64-19-7	EC: 200-580-7	WEL (15 min)	20 ppm	50 mg/m ³
Copper sulfate p	entahydrate	WEL (8h)		1 mg/m³
CAS: 7758-99-8	EC: 231-847-6	WEL (15 min)		2 mg/m ³

DNEL (Workers):

		Short exposure		Long exposure	
Identification	Systemic	Local	Systemic	Local	
Formic acid	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64-18-6	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 200-579-1	Inhalation	Not relevant	Not relevant	Not relevant	9.5 mg/m ³
Acetic acid	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 64-19-7	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 200-580-7	Inhalation	Not relevant	25 mg/m ³	Not relevant	25 mg/m ³
Betaine hydrochloride	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 590-46-5	Dermal	Not relevant	Not relevant	252 mg/kg	Not relevant
EC: 209-683-1	Inhalation	Not relevant	Not relevant	177 mg/m³	Not relevant
benzoic acid	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 65-85-0	Dermal	Not relevant	Not relevant	62.5 mg/kg	Not relevant
EC: 200-618-2	Inhalation	Not relevant	Not relevant	3 mg/m³	0.1 mg/m ³
Copper sulfate pentahydrate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 7758-99-8	Dermal	Not relevant	Not relevant	137 mg/kg	Not relevant
EC: 231-847-6	Inhalation	Not relevant	Not relevant	1 mg/m³	1 mg/m³



941 - Maxid Digest Forte



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Zinc di(acetate) · 2H2O	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 5970-45-6	Dermal	Not relevant	Not relevant	1.338 mg/kg	Not relevant
EC: 209-170-2	Inhalation	Not relevant	Not relevant	4.71 mg/m³	Not relevant

DNEL (General population):

		Short	exposure	Long	Long exposure	
Identification		Systemic	Local	Systemic	Local	
Formic acid	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 64-18-6	Dermal	Not relevant	Not relevant	Not relevant	Not relevant	
EC: 200-579-1	Inhalation	Not relevant	Not relevant	Not relevant	3 mg/m³	
Acetic acid	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 64-19-7	Dermal	Not relevant	Not relevant	Not relevant	Not relevant	
EC: 200-580-7	Inhalation	Not relevant	25 mg/m ³	Not relevant	25 mg/m ³	
Betaine hydrochloride	Oral	Not relevant	Not relevant	12.6 mg/kg	Not relevant	
CAS: 590-46-5	Dermal	Not relevant	Not relevant	126 mg/kg	Not relevant	
EC: 209-683-1	Inhalation	Not relevant	Not relevant	44 mg/m ³	Not relevant	
benzoic acid	Oral	Not relevant	Not relevant	16.6 mg/kg	Not relevant	
CAS: 65-85-0	Dermal	Not relevant	Not relevant	31.25 mg/kg	Not relevant	
EC: 200-618-2	Inhalation	Not relevant	Not relevant	1.5 mg/m ³	0.06 mg/m ³	
Copper sulfate pentahydrate	Oral	0.082 mg/kg	Not relevant	0.041 mg/kg	Not relevant	
CAS: 7758-99-8	Dermal	Not relevant	Not relevant	Not relevant	Not relevant	
EC: 231-847-6	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant	
Zinc di(acetate) · 2H2O	Oral	Not relevant	Not relevant	0.669 mg/kg	Not relevant	
CAS: 5970-45-6	Dermal	Not relevant	Not relevant	0.669 mg/kg	Not relevant	
EC: 209-170-2	Inhalation	Not relevant	Not relevant	1.16 mg/m ³	Not relevant	

PNEC:

Identification				
Formic acid	STP	7.2 mg/L	Fresh water	2 mg/L
CAS: 64-18-6	Soil	1.5 mg/kg	Marine water	0.2 mg/L
EC: 200-579-1	Intermittent	1 mg/L	Sediment (Fresh water)	13.4 mg/kg
	Oral	Not relevant	Sediment (Marine water)	1.34 mg/kg
Acetic acid	STP	85 mg/L	Fresh water	3.058 mg/L
CAS: 64-19-7	Soil	0.47 mg/kg	Marine water	0.306 mg/L
EC: 200-580-7	Intermittent	30.58 mg/L	Sediment (Fresh water)	11.36 mg/kg
	Oral	Not relevant	Sediment (Marine water)	1.136 mg/kg
Citric Acid	STP	1000 mg/L	Fresh water	0.44 mg/L
CAS: 77-92-9	Soil	33.1 mg/kg	Marine water	0.044 mg/L
EC: 201-069-1	Intermittent	Not relevant	Sediment (Fresh water)	34.6 mg/kg
	Oral	Not relevant	Sediment (Marine water)	3.46 mg/kg
benzoic acid	STP	100 mg/L	Fresh water	0.34 mg/L
CAS: 65-85-0	Soil	0.151 mg/kg	Marine water	0.034 mg/L
EC: 200-618-2	Intermittent	0.331 mg/L	Sediment (Fresh water)	1.75 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0.175 mg/kg
Copper sulfate pentahydrate	STP	0.23 mg/L	Fresh water	0.0078 mg/L
CAS: 7758-99-8	Soil	65 mg/kg	Marine water	0.0052 mg/L
EC: 231-847-6	Intermittent	Not relevant	Sediment (Fresh water)	87 mg/kg
	Oral	Not relevant	Sediment (Marine water)	676 mg/kg
Zinc di(acetate) · 2H2O	STP	0.009 mg/L	Fresh water	0.002 mg/L
CAS: 5970-45-6	Soil	0 mg/kg	Marine water	0 mg/L
EC: 209-170-2	Intermittent	0.021 mg/L	Sediment (Fresh water)	0.008 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0.001 mg/kg

8.2 Exposure controls:



941 - Maxid Digest Forte



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours (Filter type: A)	CAT III	EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	CATIII	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face shield	CATII	EN 166:2002 UNE-EN ISO 18526-1 al 4:2020 UNE-EN ISO 18526-1 al 4:2020 EN ISO 4007:2018	

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks	CATIII	EN 13034:2005+A1:2009 UNE-EN ISO 18526-1 al 4:2020 EN ISO 13982-1:2005/A1:2011 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1995	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk	CATIII	EN ISO 20345:2022 EN 13832-1:2019	Replace boots at any sign of deterioration.

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	→	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:



941 - Maxid Digest Forte



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

V.O.C. (Supply): 58.32 % weight

V.O.C. density at 20 °C: 657.46 kg/m³ (657.46 g/L)

Average carbon number: 1.57

Average molecular weight: 53.97 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid

Appearance:

Colour:

Odour:

Odour threshold:

Not relevant *

Not relevant *

Not relevant *

Not relevant *

Volatility:

Boiling point at atmospheric pressure: 106 °C Vapour pressure at 20 °C: 2806 Pa

Vapour pressure at 50 °C: 12807.61 Pa (12.81 kPa)

Evaporation rate at 20 °C: Not relevant *

Product description:

Relative density at 20 °C:

Density at 20 °C: 1127.3 kg/m³

Dynamic viscosity at 20 °C: 1.71 mPa·s Kinematic viscosity at 20 °C: 1.52 mm²/s Kinematic viscosity at 40 °C: Not relevant * Concentration: Not relevant * pH: Not relevant * Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant * Solubility in water at 20 °C: Not relevant * Solubility properties: Not relevant * Decomposition temperature: Not relevant * Melting point/freezing point: Not relevant *

Flammability:

Flash Point: >61 °C
Flammability (solid, gas): Not relevant *
Autoignition temperature: 427 °C
Lower flammability limit: Not relevant *
Upper flammability limit: Not relevant *

Particle characteristics:

Median equivalent diameter: Not relevant *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties: Not relevant *

 * Not relevant due to the nature of the product, not providing information property of its hazards.

1.127



941 - Maxid Digest Forte



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Not relevant *

Not relevant *

components:

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Not relevant *

Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
 - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Corrosive to the respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
 - Contact with the eyes: Produces serious eye damage after contact.



941 - Maxid Digest Forte



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Not relevant

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acute	toxicity	Genus
Formic acid	LD50 oral	730 mg/kg	Rat
CAS: 64-18-6	LD50 dermal	>2000 mg/kg	
EC: 200-579-1	LC50 inhalation vapour	7.85 mg/L	Rat
Acetic acid	LD50 oral	>2000 mg/kg	
CAS: 64-19-7 EC: 200-580-7	LD50 dermal	>2000 mg/kg	
	LC50 inhalation vapour	>20 mg/L	
propionic acid	LD50 oral	3455 mg/kg	
CAS: 79-09-4 EC: 201-176-3	LD50 dermal	>2000 mg/kg	
	LC50 inhalation vapour	>20 mg/L	
L-(+)-lactic acid CAS: 79-33-4	LD50 oral	3543 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
EC: 201-196-2	LC50 inhalation dust	>5 mg/L	
Citric Acid	LD50 oral	5400 mg/kg	Rat
CAS: 77-92-9	LD50 dermal	>2000 mg/kg	
EC: 201-069-1	LC50 inhalation dust	>5 mg/L	
benzoic acid	LD50 oral	2565 mg/kg	Rat
CAS: 65-85-0	LD50 dermal	>2000 mg/kg	
EC: 200-618-2	LC50 inhalation dust	>5 mg/L	
Betaine hydrochloride	LD50 oral	11179 mg/kg	Rat
CAS: 590-46-5	LD50 dermal	>2000 mg/kg	
EC: 209-683-1	LC50 inhalation dust	>5 mg/L	
Copper sulfate pentahydrate	LD50 oral	481 mg/kg	Rat
CAS: 7758-99-8	LD50 dermal	>2000 mg/kg	
EC: 231-847-6	LC50 inhalation dust	>5 mg/L	



941 - Maxid Digest Forte



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxici	ty	Genus
Zinc di(acetate) · 2H2O	LD50 oral	794 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
EC: 209-170-2	LC50 inhalation dust	>5 mg/L	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Formic acid	LC50	130 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 64-18-6	EC50	365 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-579-1	EC50	Not relevant		
L-(+)-lactic acid	LC50	320 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 79-33-4	EC50	240 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-196-2	EC50	3.5 mg/L (70 h)	Selenastrum capricornutum	Algae
Acetic acid	LC50	75 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 64-19-7	EC50	47 mg/L (24 h)	Daphnia magna	Crustacean
EC: 200-580-7	EC50	Not relevant		
Citric Acid	LC50	1516 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 77-92-9	EC50	160 mg/L (48 h)	N/A	Crustacean
EC: 201-069-1	EC50	Not relevant		
Copper sulfate pentahydrate	LC50	0.81 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 7758-99-8	EC50	Not relevant		
EC: 231-847-6	EC50	Not relevant		
Zinc di(acetate) · 2H2O	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 5970-45-6	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 209-170-2	EC50	>0.1 - 1 mg/L (72 h)		Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Formic acid	NOEC	Not relevant		
CAS: 64-18-6 EC: 200-579-1	NOEC	100 mg/L	Daphnia magna	Crustacean
Acetic acid	NOEC	57.2 mg/L	Oncorhynchus mykiss	Fish
CAS: 64-19-7 EC: 200-580-7	NOEC	80 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
Formic acid	BOD5	Not relevant	Concentration	18 mg/L
CAS: 64-18-6	COD	Not relevant	Period	28 days
EC: 200-579-1	BOD5/COD	Not relevant	% Biodegradable	97 %
Acetic acid	BOD5	Not relevant	Concentration	100 mg/L
CAS: 64-19-7	COD	Not relevant	Period	14 days
EC: 200-580-7	BOD5/COD	Not relevant	% Biodegradable	74 %



941 - Maxid Digest Forte



SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradab	ility
Citric Acid	BOD5	Not relevant	Concentration	10 mg/L
CAS: 77-92-9	COD	Not relevant	Period	28 days
EC: 201-069-1	BOD5/COD	Not relevant	% Biodegradable	97 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification		Bioaccumulation potential		
Formic acid	BCF	3.2		
CAS: 64-18-6	Pow Log			
EC: 200-579-1	Potential	Low		
Acetic acid	BCF	3		
CAS: 64-19-7	Pow Log	-0.71		
EC: 200-580-7	Potential	Low		
Citric Acid	BCF	3		
: 77-92-9		-1.55		
EC: 201-069-1	Potential	Low		

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Formic acid	Кос	31	Henry	1.9E-2 Pa·m³/mol
CAS: 64-18-6	Conclusion	Very High	Dry soil	Not relevant
EC: 200-579-1	Surface tension	3.862E-2 N/m (25 °C)	Moist soil	Not relevant
propionic acid	Koc	Not relevant	Henry	Not relevant
CAS: 79-09-4	Conclusion	Not relevant	Dry soil	Not relevant
EC: 201-176-3	Surface tension	2.62E-2 N/m (25 °C)	Moist soil	Not relevant
Acetic acid	Koc	Not relevant	Henry	Not relevant
CAS: 64-19-7	Conclusion	Not relevant	Dry soil	Not relevant
EC: 200-580-7	Surface tension	2.699E-2 N/m (25 °C)	Moist soil	Not relevant
Citric Acid	Koc	Not relevant	Henry	Not relevant
CAS: 77-92-9	Conclusion	Not relevant	Dry soil	Not relevant
EC: 201-069-1	Surface tension	2.045E-2 N/m (350.93 °C)	Moist soil	Not relevant
benzoic acid	Koc	Not relevant	Henry	Not relevant
CAS: 65-85-0	Conclusion	Not relevant	Dry soil	Not relevant
EC: 200-618-2	Surface tension	1.491E-2 N/m (300.11 °C)	Moist soil	Not relevant

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 14*	Acids	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity, HP8 Corrosive

Waste management (disposal and evaluation):



941 - Maxid Digest Forte



SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

8

14.1 UN number or ID number: UN3265

14.2 UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; propionic

acid)

Nο

14.3 Transport hazard class(es): 8

Labels: 8 **14.4 Packing group:** II

14.5 Environmental hazards:

14.6 Special precautions for user

Special regulations: 274
Tunnel restriction code: E

Physico-Chemical properties: see section 9

Limited quantities: 1 L

14.7 Maritime transport in bulk

according to IMO instruments:

Not relevant

Transport of dangerous goods by sea:

With regard to IMDG 41-22:

14.1 UN number or ID number: UN3265

14.2 UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; propionic

acid) 8

14.3 Transport hazard class(es):

Labels: 8

14.4 Packing group: II **14.5 Marine pollutant:** No

14.6 Special precautions for user

Special regulations: 274
EmS Codes: F-A, S-B

Physico-Chemical properties: see section 9 Limited quantities: 1 L

Segregation group: **14.7 Maritime transport in bulk**

according to IMO

Not relevant

SGG1

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:



941 - Maxid Digest Forte



SECTION 14: TRANSPORT INFORMATION (continued)



14.1 UN number or ID number: UN3265

14.2 UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; propionic

acid)

14.3 Transport hazard class(es): 8

> Labels: 8

14.4 Packing group: TT 14.5 Environmental hazards: Nο

14.6 Special precautions for user

Physico-Chemical properties: see section 9 14.7 Maritime transport in bulk

according to IMO instruments:

Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains benzoic acid, Hexa-2,4-dienoic acid.
- : Not relevant
- Article 95, REGULATION (EU) No 528/2012: Formic acid (64-18-6) PT: (2,3,4,5,6); L-(+)-lactic acid (79-33-4) PT: (1,2,3,4,6); Citric Acid (77-92-9) - PT: (2); benzoic acid (65-85-0) - PT: (3,4,7,9); Copper sulfate pentahydrate (7758-99-8) -PT: (2); Hexa-2,4-dienoic acid (110-44-1) - PT: (6)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- -ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- —tricks and jokes.
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Occupational exposure to respirable crystalline silica must be controlled pursuant to Directive (EU) 2019/130.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No 1348 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885 Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits

The Waste Regulations 2011, 2011 No. 988

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Texts of the legislative phrases mentioned in section 2:



941 - Maxid Digest Forte



SECTION 16: OTHER INFORMATION (continued)

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage. H335: May cause respiratory irritation.

H412: Harmful to aquatic life with long lasting effects.

H302: Harmful if swallowed.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H331 - Toxic if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation).

STOT SE 3: H335 - May cause respiratory irritation.

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.